

INDEX MAPS.

T.13N R.7W 2nd Mer.

	256		256		255-257		255-257		255-257		255-257		255-257
259	6	279	5	274	4	270	3	267	2	263	1	255	
	279		279		274		270		266		263		
259	7	278	8	273	9	270	10	266	11	262	12	254	
	278		278		273		269		266		262		
256	18	277	17	273	16	269	15	265	14	262	13	254	
	277		277		272		269		265		261		
258	19	276	20	272	21	268	22	265	23	261	24	254	
	276		276		272		268		264		260		
258	30	275	29	272	28	268	27	264	26	260	25	254	
	275		275		271		267		264		260		
258	31	274	32	271	33	267	34	263	35	260	36	253	
	252		251-252		251-252		251-253		251-253		251-253		

T.14N R.7W 2nd Mer.

	286	286-287	286-287	286-287	285-288	285-288						
290	6	313	5	308	4	303	3	298	2	294	1	285
	312		312		308		302		298		294	
289	7	311	8	306	9	302	10	298	11	293	12	285
	312		311		306		302		297		293	
289	18	310	17	305	16	301	15	297	14	293	13	284
	310		310		305		300		297		292	
289	19	309	20	304	21	300	22	296	23	292	24	284
	309		309		304		300		296		291	
288	30	308	29	304	28	299	27	295	26	291	25	284
	308		308		303		299		295		290	
288	31	308	32	303	33	299	34	295	35	290	36	283
	281-282		281-282		281-282		281-282		281-283		281-283	

The figures on the lines refer to the page.

Township No. 13. North of Range No. 7 West of the 2nd Mer. Ind. a.

Ch. 2nd Sec.

South Boundary.

West One Random line On the South Boundary of Sec. 36.
T. 13. N. R. 7 W.

14.00 To a Brook 10 miles wide, corner S.

40.00 Set a temporary 1/4 corner

63.00 To a Brook 3 miles wide, corner N.

80.00 Set a temporary post for the cor of Sec. 35 & 36. T. 13. N. R. 7 W.
Sand bar; Timber Oak Ash. & Sugar.

West One Random line On the South Boundary of Sec. 35.
T. 13. N. R. 7 W.

1.50 To a Brook 5 miles wide, corner N.

40.00 Set a temporary 1/4 corner

43.00 To a Brook 4 miles wide, corner N.

72.00 " Do. 4 " " "

80.00 Set a temporary post for the cor of Sec. 34 & 35.

Sand bar; Timber Oak, White Ash, Sugar, Birch &c.

West One Random line On the South Boundary of Sec. 34.
T. 13. N. R. 7 W.

40.00 Set a temporary 1/4 corner

80.00 " " post for the cor of Sec. 33 & 34

Sand & Timber Same

West One Random line On the South Boundary of Sec. 33.
T. 13. N. R. 7 W.

29.00 To a Brook 3 miles wide, corner N.

38.00 " Do. 3 " " "

40.00 Set a temporary 1/4 corner

80.00 Set a " post for the cor of Sec. 32 & 33.

Sand & Timber Same

West One Random line On the South Boundary of Sec. 32.
T. 13. N. R. 7 W.

21.00 To a Brook 3 miles wide, corner N.

40.00 Set a temporary 1/4 corner

T. N. 13 N. R. N. 7 W. Quad. Mm. Ind.

50.00 To a Brook 10 links wide, across S.W.
 70.00 " " Spring corner S.
 80.00 Set a temporary post for the corner of sec. 31 & 32
 Sand and timber same.

West On the Run line On the South Corner of sec. 31
 40.00 Set a temporary post
 80.00 To a Brook 3 links wide, across S.
 86.00 Struck Harris's Town cor. S. 12 & 13 N. R. 7 & 8 W.
 He has not continued his North line any farther.

East On the Run line On the South Corner of sec. 31.
 46.00 Set the temporary post on the Run line from which
 Brook. 18 in diam. bears N 83 E. 17 links north, Pa.
 Do. 8 " " " S 65 W. 14 " "
 86.00 Set the temporary post on the Run line from which (Sec 31 & 32)
 Brook. 15 in diam. bears S 35 W. 12 links north, Pa.
 Sugar. 18 " " " N 27 E 31 " "

East On the Run line On the South Corner of sec. 32.
 T. 13 N. R. 7 W.
 40.00 Set the temporary post at the Run line from which
 Sugar. 10 in diam. bears S 22 W. 13 links north, Pa.
 Brook. 8 " " " S 20 W. 23 " "
 80.00 Set the temporary post on the Run line from which (Sec 32 & 33)
 Brook. 14 in diam. bears N 18 E. 18 links north, Pa.
 Do. 10 " " " N 36 W. 18 " "

East On the Run line On the South Corner of sec. 33.
 T. 13 N. R. 7 W.
 40.00 Set the temporary post on the Run line from which
 Brook. 12 in diam. bears S 33 W. 30 links north, Pa.
 Do. 30 " " " N 34 E. 39 " "
 80.00 Set the temporary post on the Run line from which (Sec 33 & 34)
 Sugar. 12 in diam. bears S 56 E. 40 links north, Pa.
 Ash. 5 " " " N 24 W. 25 " "

T. N. 13. N. R. N. 7 W 2nd. Mm. Ind. a.

East On the true line On the South Boundary of T. 34.
T. 13. N. R. 7 W.

40.00 Set the temp. 7th sapst on the true line from which,
Heck 18 in dia. trees. N 60 E. 60 units each; Pa
R. Oak 30 " " N 64 W. 24 " "

80.00 Set the temp. 7th sapst on the true line for the cor of T. 34 & 35 from
which Engon. 9 in dia. trees N 7 E. 7 units each; Pa
No. 8 " " N 32 W. 38 " "

East On the true line On the South Boundary of T. 35.
T. 13. N. R. 7 W.

40.00 Set the temp. 7th sapst on the true line from which,
Beak. 9 in dia. trees. N 12 E. 19 units each; Pa
Hogwood 6 " " N 18 E. 20 " "

80.00 Set the temp. 7th sapst on the true line for the cor of T. 35 & 36.
from which a Elm. 24 in dia. trees N 61 E. 2 units each;
made a No. 18 " " N 61 W. 28 " "

East On the true line On the South Boundary of T. 36
T. 13. N. R. 7 W.

40.00 Set the temp. 7th sapst on the true line from which,
Maple 16 in dia. trees. S 37 W. 16 units each; Pa
Ash 6 " " N 51 E. 31 " "

80.00 Set the cor of T. 12 & 13. N. R. 6 & 7 W.
May 8th 1811.

East Boundary.

North On the East Boundary of T. 36. T. 13. N. R. 7 W.

40.00 Set a 7th sapst from which,
Beak. 16 in dia. trees N 28 W. 60 units each; Pa
Heck 12 " " N 50 E. 14 " "

80.00 Set a sapst for the cor of T. 25 & 36 from which a
Ash 10 in dia. trees. N 68 W. 8 units each; Pa
Ash 16 " " N 68 E. 13 " "
Sunds not; Timber Beak.

I. N. 13. A. R. N. 7W. 2nd. Mm. S. 2nd.

North	On the East Boundary of Sec. 25, T. 13. N. R. 7W.
40.00	Set a 1/4 section from which Sugar, 15 in dia. trees. S 57 W. 24 links north; S Beck, 13 " " " N 63 E. 19 " "
80.00	Set a post for the cor. of Sec. 24 & 25 from which W Oak, 36 in dia. trees. S 20 W. 25 links north; S Beck, 20 " " " N 57 E. 34 " " Sand hole; Timber Post.
North	On the East Boundary of Sec. 24, T. 13. N. R. 7W.
650	Top Brook, 50 links wide, comes S. W.
40.00	Set a 1/4 section from which Beck, 4 in dia. trees. S 47 W. 5 links north; S Lo. 4 " " " N 60 E. 10 " "
80.00	Set a post for the cor. of Sec. 13 & 24 from which Elm, 12 in dia. trees. S 22 E. 27 links north; S W Oak, 24 " " " N 86 W. 24 " " Sand hole; Timber Oak.
North	On the East Boundary of Sec. 13, T. 13. N. R. 7W.
40.00	Set a 1/4 section from which Oak, 8 in dia. trees. S 25 E. 7 links north; S Beck, 12 " " " N 67 W. 24 " "
80.00	Set a post for the cor. of Sec. 12 & 13 from which Beck, 16 in dia. trees. S 53 W. 29 links north; S Lo. 14 " " " N 67 W. 20 " " Sand hole Timber Post.
North	On the East Boundary of Sec. 12, T. 13. N. R. 7W.
40.00	Set a 1/4 section from which Hick, 5 in dia. trees. S 79 E. 8 links north; S Beck, 6 " " " N 79 W. 20 " "
54.01	Top Brook 10 links wide, comes S. W.
80.00	Set a post for the cor. of Sec. 1 & 12 from which Beck, 13 in dia. trees. N 27 W. 19 links north; S Lo. 12 " " " S 27 E. 30 " "

T. P. 13. N. R. No 7 N 2nd Mer. Ind.

Land look and out; Timber Buck.

North	On the East Boundary of Sec. 1. T. 13. N. R. 7 N.
34.00	Log Oak. 12 in dia. in the tree.
40.00	Set a 1/4 section from which Buck. 14 in dia. has 15 N 35 W 1/4 sec; 1/4 1/4 sec. 16 " " " " N 30 E. 16 " " "
55.50	Log Buck. 10 in dia. in the tree, leaves N.
80.00	Set a 1/4 section for cor of T. 13 & 14. N. R. 7 N. 6. 1/4 section from which a W Oak. 30 in dia. has. N 43 W. 4 in dia. sec; 1/4 Buck. 6 " " " " S 24 E. 16 " " "
	Land look Timber Buck & Oak.

North Boundary

West	On a Random line On the South Boundary of Sec. 36. T. 14. N. R. 7 N.
35.00	Log Buck. 15 in dia. in the tree, leaves N.
40.00	Set a 1/4 section from which
62.00	Log Buck. 50 in dia. in the tree, leaves S.
80.00	Set a 1/4 section for the cor of Sec. 35 & 36. Land hilly Timber Oak, Buck Newberry &c.

West	On a Random line On the South Boundary of Sec. 35. T. 14. N. R. 7 N.
40.00	Set a 1/4 section from which
80.00	Set a 1/4 section for the cor of Sec. 34 & 35. Land & timber same as last note.

West	On a Random line On the South Boundary of Sec. 34. T. 14. N. R. 7 N.
40.00	Set a 1/4 section from which
80.00	" " " " for the cor of Sec. 33 & 34. Land look and out: Timber Buck, Oak, Gum &c.

West	On a Random line On the South Boundary of Sec. 33. T. 14. N. R. 7 N.
------	---

I. N. 13 N. R. No 777 D. & M. Ind.

0.50	To a Brook. 15 units mid, Come D. W.
40.00	Set a trap. 7 1/2 feet.
80.00	" " feet for the en of ew. 32 & 33. Lands & timber same.
West	On a Random line On the South Branch of ew. 32 I. 14. N. R. 777.
1.50	To a Brook. 8 units mid, Come D. W.
40.00	Set a trap. 7 1/2 feet.
80.00	Set a trap. 7 feet for the en of ew. 31 & 32. Lands good; Timber Oak, Poplar, Sugar, &c.
West	On a Random line On the South Branch of ew. 31. I. 14. N. R. 777.
40.00	Set a trap. 7 1/2 feet.
80.00	" " " feet for the en of I. 13 & 14. N. R. 7 & 877. Land & timber: Timber Walnut, Sugar, Hackberry &c. Mr. Harris has not brought on his line yet. I therefore mark my line East.
East	On the New line On the South Branch of ew. 31. I. 14. N. R. 777.
40.00	Set the trap. 7 1/2 feet at the New line from which Logwood 4 in diam. trees. S 50 E. 4 units mid; &c. Do. 4 " " " N 34 E. 30 " "
80.00	Set a post for the en of ew. 31 & 32 on the New line from which Oak 6 in diam. trees. S 72 N. 28 units mid; &c. Sum. 5 " " " N 12 E. 8 " "
East	On the New line On the South Branch of ew. 32. I. 14. N. R. 777.
40.00	Set the trap. 7 1/2 feet on the New line from which Beech 14 in diam. trees S 80 E. 14 units mid; &c. Oak 24 " " " North 39 " "
80.00	Set a post for the en of ew. 32 & 33 from which Oak 30 in diam. trees. N 4 E. 31 units mid; &c.

257

T. N. 13. N. R. N. 7 W. 2nd Mer. Ind.

Sugar 12 in air: trees. 149 E. 17 links north:

East	On the tree line On the South Boundary of sec. 33. T. 14. N. R. 7 W.
40.00	Set the trip. 7th support on the tree line from which N Oak 36 in air: trees. 120 E. 50 links north: Pa, Beak 16 " " " 125 E. 14 " "
80.00	Set a post for the cor of sec. 33 & 34 from which Beak 4 in air: trees. 165 W. 8 links north: Pa, Lo. 14 " " " 113 E. 47 " "
East	On the tree line On the South Boundary of sec. 34. T. 14. N. R. 7 W.
40.00	Set the trip. 7th support on the tree line from which Beak 15 in air: trees. 178 E. 11 links north: Pa, Lo. 18 " " " 171 W. 24 " "
80.00	Set a post for the cor of sec. 34 & 35 from which N Oak 36 in air: trees. 185 W. 42 links north: Pa, Beak 16 " " " 183 E. 49 " "
East	On the tree line On the South Boundary of sec. 35. T. 14. N. R. 7 W.
40.00	Set the trip. 7th support on the tree line from which Beak 10 in air: trees. 152 E. 11 links north: Pa, Lo. 12 " " " 118 W. 29 " "
80.00	Set the trip. 7th post on the tree line for the cor of sec. 35 & 36. from which Beak 10 in air: trees. 157 E. 19 links north: see also Survey 4 " " " 117 W. 23 " "
East	On the tree line On the South Boundary of sec. 36. T. 14. N. R. 7 W.
40.00	Set the trip. 7th support on the tree line from which N Oak 18 in air: trees. 154 E. 33 links north: Pa, Beak 14 " " " 170 W. 16 " "
80.00	To the cor of T. 13 & 14 N. R. 6 & 7 W.

T. N. 13. N. R. N. 7 W 2nd Mer. Ind.

West Boundary

N. 64° 50'

North On the East Boundary of Sec. 36. T. 13. N. R. 8 W.
 40.00 N. Oak. 36 in dia. Stand for the cor of 1/4 sec.
 80.00 Set a post for the cor of sec. 25 & 36 from which
 Sugar. 15 in dia. bears N 10 E. 19 units north; &
 Beech. 12 " " " N 9 W. 15 " "
 Land 2nd rate.

North On the East Boundary of Sec. 25. T. 13. N. R. 8 W.
 40.00 Set a post for the cor of sec. 24 & 25 from which
 N Oak. 18 in dia. bears N 10 E. 23 units north; &
 Beech. 10 " " " N 35 E. 21 " "
 65.00 Log Creek. 50 units wide, comes N.
 80.00 Set a post for the cor of sec. 24 & 25 from which
 Poplar. 18 in dia. bears N 37 E. 7 units north; &
 N Oak. 18 " " " N 11 E. 24 " "
 Land hilly under 2nd rate. Timber Beech, Sugar, Oak.

North On the East Boundary of Sec. 24. T. 13. N. R. 8 W.
 32.00 Log Brook. 15 units wide, comes E. W.
 40.00 Set a post for the cor of sec. 23 & 24 from which
 Poplar. 36 in dia. bears N 23 W. 15 units north; &
 Sugar. 6 " " " N 53 E. 19 " "
 80.00 Set a post for the cor of sec. 23 & 24 from which
 Maple 30 in dia. bears N 75 E. 4 units north; &
 Lym. 8 " " " N 62 W. 12 " "
 Land 2nd rate, N. 1/2 hilly.

North On the East Boundary of Sec. 13. T. 13. N. R. 8 W.
 25.00 Log Brook. 10 units wide, comes E. W.
 40.00 Set a post for the cor of sec. 12 & 13 from which
 Sugar. 12 in dia. bears N 39 E. 45 units north; &
 Elm. 8 " " " N 35 W. 56 " "
 80.00 Set a post for the cor of sec. 12 & 13 from which
 Walnut 30 in dia. bears N 44 E. 37 units north; &
 Log. 15 " " " N 35 W. 25 " "

259

T. N. 13. N.R. N. 77 2nd Mer. Ind.

Land hilly, 1st rate on the South 1/2; North 1/2 bottom
low & rich.

Ind.	On the line on the East Boundary of sec. 12. T. 13. N.R. N. 87 W.
40.00	Set a 1/4 section post from which S. 8 in. diam. beam. S 57 N. 4 links dist. to N. 15 " " N 76 E. 37 "
80.00	Set a post for the corner of sec. 14 from which N. 18 in. diam. beam. N 15 W. 27 links dist. to N. 12 " " S 87 E. 17 "

Land a little rolling and good 2nd rate. Timber Black
Sugar & some Walnut. Land good for farming.

North 40.00	On the East Boundary of sec. 1. T. 13. N.R. S 77 W.
	Set a 1/4 section post from which S. 4 in. diam. beam. N 33 E. 6 links dist. to S. 24 " " " S 33 W. 18 "
78.76	Set on the E & W line 48.77 West of the 1/2 mile post on the South Boundary of sec. 31. T. 14. N.R. 77 W. and set a post for the corner of T. 13 & 14. N.R. 77 & 87 W. from which a blackberry 15 in. diam. beam. N 47 W. 10 links dist. to Walnut. 36 " " " N 41 E. 31 " "

Land rich and good for farming.
Of the 13 boundaries the South East & North are
surveyed by
Alonzo H. Holmes D.S.
and the West Boundary by William Harris D.S.

Subdivisions.

South 38.00	On a line between sec. 35 & 36. T. 13. N.R. 77 W.
	To a Brook 7 links wide, corner S.E.
40.00	Set a 1/4 section post
56.50	To a Brook 7 links wide, corner S.W.
79.66	Set on the South 1/2 at the post corner of sec. 35 & 36. Land rolling and 2 nd rate.

I. N. B. N. R. N. 77. 2nd. Mr. Linder.

North
39.83 On the line between Sec 35 & 36. T. 13. N. R. 7. W.
Set the temp. 1/4 in sap post at the ar ditch on the line from
Whitaker, N. Oak 6 in diam. trees. S 54 E. 25 units north; Va.
100. 10 " " " N. 67 W. 22 " "
79.66 To the post on of sec. 26. 25. 35 & 36.

East
40.00 On a Random line between Sec 25 & 36. T. 13. N. R. 7. W.
Set a temp. 1/4 in sap post
79.50 Enter at the East Branch at 16 links South of the post on of
Sec. 25 & 36.
Land here Timber mostly Oak & Ash. 2nd. rate.

West
39.75 On the line between Sec 25 & 36. T. 13. N. R. 7. W.
Set the temp. 1/4 in sap post at the ar ditch on the line from Whitaker
Ash 8 in diam. trees. S 17 E. 12 units north; Va.
Sassafras 8 " " " N. 22 E. 6 " "
79.50 To the post on of sec. 25, 26. 35 & 36.

South
Return Sec. 25 & 26. T. 13. N. R. 7. W.
12.00 To a Brook. corner N.
40.00 Set a 1/4 in sap post from Whitaker
Ash. 10 in diam. trees. N 88 W. 16 units north; Va.
Beak 5 " " " N 86 E. 32 " "
56.00 To a Brook 5 units north, corner N.
80.00 Set a post for the corner of sec. 25, 26. 35 & 36. from Whitaker
Sugar. — in diam. trees. N 44 W. 36 units north; Va.
Hick 8 " " " S E. 21. " "
Land at 1/4 in with rolling; last 1/4 with marshy 13. rate
Timber mostly Oak, Elm &c.

East
23.00 On a Random line between Sec. 24 & 25 T. 13. N. R. 7. W.
To a Brook. 15 units north, corner N. W.
40.00 Set a temp. 1/4 in sap post
75.00 To a Brook. 15 units north, corner S. W.
79.56 Enter at the East Branch at 15 links South of the post
on of sec. 24 & 25.

261

T. N. B. A. R. No 772nd (Mn. Ind.)

Land rolling under 2nd rate; Timber Oak, Hickory, Buck
Oak & Poplar.

West On the line between Sec. 24 & 25. T. 13. N. R. 77.
39.78 Set the trip 1st 1/2 in east at the arch on the line
from which, Miller 8 in dist. from. N 20 E. 14 1/2 mts. N. 1/2
and a Walnut. Co. " " N 76 W. 26 " "
79.56 To the post on of sec. 23, 24, 25 & 26.

South On a Random line between Sec. 23 & 24. T. 13. N. R. 77.
40.00 Set a trip 1st 1/2 in east.
74.50 To a oak 15 mts. N. 1/2, corner of W.
79.50 " " 12 1/2 " " " " " "
79.89 Enter at the NW line 40 mts. East of the post on of sec. 23,
24, 25 & 26.
Land 1/2 mile N. 1/2; East 1/2 rolling of fallen Timber
Oak, Hickory, Buck, &c. 2nd rate land.

North On the line between Sec. 23 & 24. T. 13. N. R. 77.
39.94 1/2 Set the trip 1st 1/2 in east at the arch on the line from
which, Buck 6 in dist. from. S 53 E. 22 1/2 mts. N. 1/2; to
12 1/2 " " " " " " N 38 W. 10 " "
79.89 To the post on of sec. 13, 14, 23 & 24.

East On a Random line between Sec. 13 & 24. T. 13. N. R. 77.
40.00 Set a trip 1st 1/2 in east
79.50 Enter at the NW line on East 13 m. N. 1/2 142 mts. South
of the post on of sec. 13 & 24.
Land rolling; last 1/2 mile fallen Timber.

West On the line between Sec. 13 & 24. T. 13. N. R. 77.
39.75 Set the trip 1st 1/2 in east at the arch on the line from
which, Sugar 12 in dist. from. N 13 E. 18 1/2 mts. N. 1/2
and a Hickory 8 " " " " " " S 44 W. 8 " "
79.50 To the post on of sec. 13, 14, 23 & 24.

T. No. 13 A. R. No. 772 2nd Mer. Sud.

South
11.50 On a Random line between Sw. 13 & 14 T. 13. N. R. 77.
To a Creek. 10 links mid, corner S.W.
40.00 Set a temp. 7 ft. east.
79.48 Intersect the E & W line 39 links West of the post on of Sw.
13, 14, 23 & 24.
Same as same as last note.

North
39.74 On the same line between Sw. 13 & 14 T. 13. N. R. 77.
Set the temp. 7 ft. east at the ar. arch on the same line from
whence, Oak. 10 in. dist. from S. 26 E. 13 links mid, & S.
Heck 18 " " " S. 61 W. 2 " "
79.48 To the post on of Sw. 11, 12, 13 & 14.

East
40.00 On a Random line between Sw. 12 & 13 T. 13. N. R. 77.
Set a temp. 7 ft. east.
79.11 Intersect the East Borne at 200 links South of the post.
on of Sw. 12 & 13.
Sand hook and 2nd rate; Timber Oak Bush, Sugar 15

West
39.55 On the same line between Sw. 12 & 13 T. 13. N. R. 77.
Set the temp. 7 ft. east at the ar. arch on the same line from
whence, Heck 15 in. dist. from S. 66 W. 7 links mid, & S.
Oak. 12 " " " S. 66 E. 20 " "
79.11 To the post on of Sw. 1, 2, 11, 13 & 14

South
30.00 On a Random line between Sw. 11 & 12 T. 13. N. R. 77.
To a Brook. 6 links mid, corner S.W.
35.50 " " Do. 20 " " " " " "
40.00 Set a 7 ft. east. (temp. 7 ft.)
79.15 Intersect the N. E. line 17 links East of the post on of
Sw. 11, 12, 13 & 14.
Sand hook under good for farming. Same as same.

North
39.57 On the same line between Sw. 11 & 12 T. 13. N. R. 77.
Set the temp. 7 ft. east at the ar. arch on the same line
from whence, Heck. 12 in. dist. from S. 26 E. 31 links mid,

T. N. 13. N. R. N. 7 W. 2nd (Mon. Sud.)

79.15 N. East. 15 in. diam. trees. N 35 E. 23 miles N. 1/2. 11 1/2 W.
To the post on of L. 1. 2. 11 1/2 W.

East. On a Random line Between L. 1 & 2. J. 13. N. R. 7 W.
40.00 Set a trap 1/2 in. apart.
79.21 Intersect the East Boundary, 48 miles South of the post on.
Apr. 1870.
Land good and rather wet. 2nd rate & not very good
for farming.

West. On the line between L. 1 & 2. J. 13. N. R. 7 W.
39.60 Set the trap 1/2 in. apart at the ar. arch on the line
from which a Elm 10 in. diam. trees. S 7 W. 16 miles N. 1/2.
made a N. 40 E. 4 " " " " N 82 W. 14 " "
79.21 To the post on of L. 1. 2. 11 1/2 W.

North. Between L. 1 & 2. J. 13. N. R. 7 W.
40.00 Set a trap 1/2 in. apart from which,
Height 11 in. diam. trees. N 45 W. 26 miles N. 1/2. 70,
Sugar. 9 " " " " S 8 E. 4 " "
40.00 To a Brook 30 miles N. 1/2. corner N.
81.70 Intersect the N. Boundary 65 miles West of the post on of
L. 35 N. 1/2. J. 14. N. R. 7 W. and set a post for the cor.,
" 1 & 2 from which,
Sugar. 14 in. diam. trees. N 52 E. 24 miles N. 1/2. 70,
Beck. 10 " " " " West. 11 " "
Land & Soil for corn; North for corn. Timber Oak,
Beck. Sugar. 1/2. 2nd rate land.

South. On a Random line between L. 34 & 35. J. 13. N. R. 7 W.
40.00 To a Brook. 15 miles N. 1/2. corner S.
40.00 Set a trap 1/2 in. apart
46.00 To a Brook. 15 miles N. 1/2. corner N.
80.99 Intersect the South Boundary 22 miles West of the post on of
L. 34 & 35.

I. N. B. N. N. 7 N. 2nd (Mm. Sud.)

Land rolling: Timber Oak, Buck, Sugar, Poplar &c.

North Outh line line between Sur 34 & 35. I. N. B. N. 7 N.
40.50 Set a temp. 7th report at the air with the line
from which, Buck. 15 in dia. hms. 17 E. 17 hms with
under a Buck. 10th " " " " 17 E. 18th " "
80.99 To the post on of Sur. 26, 27, 34 & 35.

West Oak Random line between Sur 26 & 35. I. N. B. N. 7 N.
40.00 Set a temp. 7th report.
78.00 To a Brook 6 hms mid, corner S.
79.95 Into cut the N & S line. 1 hms North of the post on of Sur. 26,
27, 34 & 35.
Land hold and note: 3rd rate: Timber Oak, Buck & Buck,

East Outh line line between Sur 26 & 35 I. N. B. N. 7 N.
39.97 Set a temp. 7th report at the air with the line from
which, Poplar. 15 in dia. hms. 18 E. 7 hms with
under a Buck. 4th " " " " 13 E. 7th " "
79.95 To the post on of Sur. 25, 26, 35 & 36.

North Between Sur 26 & 27 I. N. B. N. 7 N.
40.00 Set a temp. report from which
Buck. 18 in dia. hms. 51 E. 22 hms with, 7th
Do. 18th " " " " 61 N. 42th " "
64.00 To a Brook. 20 hms mid, corner N.
80.00 Set a post for the on of Sur. 22, 23, 26 & 27 from which
Buck. 18 in dia. hms. 60 E. 12 hms with, 7th
Do. 15th " " " " N. 7 N. 30th " "
Land rolling Timber Buck, Oak, Sugar, Elm &c.
Land do 2nd rate;

East Oak Random line between Sur 23 & 26 I. N. B. N. 7 N.
14.00 To a Brook 6 hms mid, corner S.
18.00 " " Do. 7th " " " "
40.00 N. B. Oak. 18 in dia. stands for the on of Sur. 20.

265

T. N. 13. N. R. N. 7 41 2nd Mer. Ind.

62.00 Top Brook. 15 mts mid, comes S.W.
 80.00 Set a post for the cor of cor. 23, 24, 25 & 26 from which
 Sugar. 12 in diam. trees. S 57 E. 67 mts dist; Va
 Oak. 4 " " " S 34 W. 8 " "
 Sand 2nd rate; Set 7 mile limit in fallen down.

North Return Cor. 22 & 23. T. 16. N. R. 7 W.
 4.00 Top Brook. 6 mts mid, comes S.E.
 40.00 Set a post for the cor of cor. 14, 15, 22 & 23 from which
 Sugar. 18 in diam. trees. S 85 E. 21 mts dist; Va
 Oak. 15 " " " S 39 W. 14 " "
 63.00 Top Brook. 7 mts mid, comes N.W.
 80.00 Set a post for the cor of cor. 14, 15, 22 & 23 from which
 Hickory 24 in diam. trees. S 29 E. 21 mts dist; Va
 Oak. 8 " " " N 54 W. 15 " "
 Sand rolling and middling good for farming.
 Timber Poplar, Sugar, Buck, & W. Oak. & Ash.

East Return Cor. 14 & 23. T. 13. N. R. 7 W.
 22.00 Top Brook. 6 mts mid, comes S.
 40.00 A Buck. 6 in diam. stands for the cor of 7th cor.
 80.00 Set a post for the cor of cor. 13, 14, 23 & 24 from which
 Hickory 3 in diam. trees. S 46 W. 01 mts dist; Va
 Oak. 3 " " " N 30 E. 2 " "
 Sand best and 2nd rate; Timber Oak, Buck,
 Poplar & Hickory.

North Return Cor. 14 & 15 T. 13. N. R. 7 W. Nov. 23. 1816.
 22.50 Top Brook. 7 mts mid, comes W.
 40.00 Set a post for the cor of cor. 10, 11, 14 & 15 from which
 Hickory 24 in diam. trees. N 85 E. 29 mts dist; Va
 W. Oak - " " " N 81 W. 2 " "
 48.00 Top Brook. 6 mts mid, comes W.
 53.00 " " " " " " "
 80.00 Set a post for the cor of cor. 10, 11, 14 & 15 from which
 W. Hickory 3 in diam. trees. S 4 E. 3 mts dist; Va

267

T. N. 13 N. R. N. 7 N. Q. M. M. Ind.

Timber: Oak, Sugar, Poplar: Ash &c.

North Return Sec. 2 & 3. T. 13. N. R. 7 N.
 31.50 To a Brook. 30 mts. mds, corner S. W.
 40.00 Set a 1/2 a post from which,
 B. Oak. 10 in diam. trees. S. 54 E. 14 mts. mds, S. W.
 Ry. 6 " " " N. 51 W. 11 " "
 81.40 Intersect the S. 13. R. 7 N. 105 mts. N. of the post on of
 Sec. 34 & 35. T. 14. N. R. 7 N. corner set a post for the corner of
 " 2 & 3 from which,
 Sugar. — in diam. trees. N. 32 E. 26 mts. mds, S. W.
 S. 12 " " " S. 27 N. 24 "
 Land broken & 3rd rate; Timber: Oak, Sugar & Oak.

North Return Sec. 33 & 34 T. 13. N. R. 7 N. Dec. 18.
 40.00 Set a 1/2 a post from which,
 Sugar. 8 in diam. trees. N. 35 E. 14 mts. mds, S. W.
 S. 10 " " " S. 37 N. 9 " "
 43.50 To a spring branch.
 44.50 To a Brook. 10 mts. mds, corner N.
 46.50 " " S. 10 " " Contains Sphum
 80.00 Set a post for the corner of Sec. 27, 28, 33 & 34 from which,
 Ry. 10 in diam. trees. N. 75 W. 17 mts. mds, S. W.
 Sugar. 10 " " " S. 50 E. 20 " "
 Land set 1/2 mile back and 2nd rate; Last 1/2 mile
 rolling; Timber: Poplar, Sugar, Oak, Ash, &c.
 Land good for farming.

East Return Sec. 27 & 34 T. 13. N. R. 7 N. Dec. 19. 18. 15.
 12.00 To a Brook. — the end, corner S. E.
 40.00 Set a 1/2 a post from which,
 Ry. 18 in diam. trees. S. 55 W. 42 mts. mds, S. W.
 Ry. 16 " " " N. 41 E. 32 " "
 56.00 To a Brook 4 mts. mds, corner S.
 80.00 Set a post for the corner of Sec. 26, 27, 34 & 35 from which,
 Poplar 12 in diam. trees. N. 50 W. 17 mts. mds, S. W.

T. N. B. N. R. N. 77 2nd Mn. Ind.

Ash, 8 in diam. trees 21 E. 20 links each.
 Sugar rolling Timber Poplar, Ash, 9 Buck, Sugar, &c.
 Lands 2nd rate.

North	Return to 27 & 28 T. N. B. N. R. 77.
12.00	To crossing branch.
40.00	Set a post from which Buck 12 in diam. trees 21 N. 6 links each, &c. No. 18 " " " N 74 E. 23 " "
45.00	To locate 25 links into, Corner N. W.
68.00	To Stephens Branch.
80.00	Set a post for corner of sec. 21, 22, 27 & 28 from which Sugar 10 in diam. trees N E. 6 links each, &c. Buck 6 " " " S 76 N 6 " "
	Lands rolling and good for farming; Timber Poplar, Buck Sugar, Oak, Ash, &c.

East	On a line between Sec. 22 & 27 T. N. B. N. R. 77.
43.00	To a brook corner S.
40.00	Set a temporary post.
47.00	To a brook 10 links into, Corner S.
80.11	Set a post on the N & S line 115 links South of the post on of Sec. 22, 23, 26 & 27. Lands rolling and 2 nd rate. Timber Poplar, Buck &c.

West	On the line between Sec. 22 & 27 T. N. B. N. R. 77.
40.05	Set the temporary post at the divide on the line from which Sugar 4 in diam. trees N 18 E. 6 links each and a Buck 30 " " " S E. 14 " "
80.10	To the post on of sec. 21, 22, 27 & 28.

North	Return to 21 & 22 T. N. B. N. R. 77.
40.00	Set a post from which Buck 12 in diam. trees S 29 E. 23 links each, &c. No. 12 " " " N 42 N 27 " "
80.00	Set a post for the corner 1576 21 & 22 from which

269

T. No 13. N.R. No 7 of 2nd Mer. Ind.

W Oak 36 in dia: trunk N 81 E 30 limbs dia: 12
 1 Beak. 4 " " " N 32 W 13 "
 Land 2nd rate: Timber Oak, Hickory, Beech, &c.

West On a Random line between Dec 15 & 22 T. 13. N.R. 7 W
 13.50 To a Brook 8 links mid, comes S. W.
 79.63 Into cut the N 75 line 33 links South of the post on of Dec.
 15.16. 21 & 22.

East On the same line between Dec 15 & 22 T. 13. N.R. 7 W.
 39.81 1/2 Set the trap 1 1/4 1/4 up east at the ar ditch on the same line from
 whike, Beak. 8 in dia: trunk N 6 E. 9 links dia: 8 dia
 R. Oak. 18 " " " S 5 E. 23 "
 79.63 To the post on of Dec. 14. 15, 22 & 23.

North Between Dec 15 & 16. T. 13. N.R. 7 W. Dec. 3. 18. 15 & 16
 5.00 To a Brook 10 links mid, comes N. W.
 40.00 Set a 1/4 up east from whike,
 Beak. 8 in dia: trunk. N 43 E. 11 links dia: 7 dia,
 No. 10 " " " S 20 W. 27 "
 50.00 To a Brook 10 links mid, comes N. W.
 72.00 " " Swamp.
 80.00 Set a post for the cor of Dec. 9. 10. 15 & 16. from whike,
 Sugar. 1 in dia: trunk. N 55 W. 23 links dia: 8 dia,
 Beak 10 " " " S 1 W 37 "
 Good land and good 2nd rate farming land.

East On a Random line between Dec. 10 & 15 T. 13. N.R. 7 W.
 29.00 To a Brook 20 links mid, comes N. W.
 40.00 Set a trap 1 1/4 up east
 42.50 To a Brook 20 links mid, comes S. W.
 44.00 " " No — " " " N. W.
 71.50 To " No 6 " " " " "
 79.50 Into cut the N 75 line 90 links South of the post on of
 Dec. 10. 11. 14 & 15.
 Comb. Land rolling and good 2nd rate, Timber Beech, Oak & Poplar.

T. No 13. N. R. No 777 3rd Min. Ind.

West 39.75	On the line between Sec 10 & 15 T. 13. N. R. 777 Set the trip 7 th support at the ar ditch on the line from whisker, 77 Oak. 24 in air: beam. North 11 links rich: 8 th under No. 10 " " " 39 E. 17 " "
79.50	To the post on of sec. 9, 10, 15 & 16.
North 11.00 40.00	Return Sec 9 & 10. T. 13. N. R. 777. 7. 6. 50. To a creek 40 links wide, corner N. Set a 7 th support from whisker, Beak. 10 in air: beam. 38 E. 17 links rich: 8 th Sugar. 4 " " " 46 N. 4 " "
80.00	Set a post for the corner of sec. 3, 4, 9 & 10. from whisker, Sugar. 10 in air: beam. 36 N. 7 links rich: 8 th No. 10 " " " 18 E. 23 " " Lands rolling and 2 nd rate soil.
West 40.00 64.50 69.50 72.00 77.60 79.60	On a Random line between Sec 3 & 10. T. 13. N. R. 777 Set a trip 7 th support. To a creek 4 links wide, corner N. " " No. 40 " " " N. N. " " No. 40 " " " N. N. " " No. 40 " " " N. N. Enter out the N. R. line 130 links North of the post on of Sec. 3, 4 & 10. Lands rolling and 2 nd rate; Timber Beak, Sugar, Black, Poplar &c. Lands 2 nd rate farming land.
East 39.80	On the line between Sec 3 & 10. T. 13. N. R. 777 Set the trip 7 th support at the ar ditch on the line from whisker, 77 Oak. 36 in air: beam. 32 E. 36 links rich under 77 Oak 8 " " " 15 N. 19 " "
79.60	To the post on of sec. 2, 3, 10, & 11.
North 0.50 40.00	Return Sec 3 & 11 T. 13. N. R. 777. Nov. 29 1815. 7. 6. 30. To a creek 50 links wide, corner N. Set a 7 th support from whisker

271

T. N. 13. N. R. N. 77 2nd Mer. End.

W Oak 6 in diam: here. S 32 W. 25 limbs each, &c,
 Hickory 15 " " " N 83 E. 30 " "
 82.65 Enter cut the N Branch ang. 64 limbs East of the post co. of
 Sec. 33 & 34. T 14 N. R. 77 and set a post for the co. of Sec.
 3 & 4 from which,
 7 Oak 6 in diam: here. S 49 W. 10 limbs each: &c,
 10. 6 " " " S 55 E. 5 " "
 Land middling good; Timber Buck. Oak &c.

North
 40.00 Peterson, Sec. 32 & 33 T 13. N. R. 77. N. 65° 30'
 Set a 7th report from which,
 Hickory 15 in diam: here. South 32 limbs each: &c,
 W Oak 36 " " " S 69 E. 37 " "
 50.00 Set a post for the co. of Sec. 28 29 32 & 33 from which,
 7 Oak 6 in diam: here. S 5 E. 18 limbs each: &c,
 W Oak 8 " " " N 51 W. 17 " "
 Land good 2nd rate farming.

East
 22.00 On a Run am line between Sec. 28 & 33. T. 13. N. R. 77. N. 55° 30'
 40.00 To a Brook 10 limbs mid, corner N. W.
 75.00 Set a timber 7th report
 To a Creek 20 limbs mid, corner N. W.
 80.50 Enter cut the N & S line 45 limbs South of the post co. of Sec.
 27 28 33 & 34
 Land hilly and 2nd rate soil.

West
 40.25 On the true line between Sec. 28 & 33. T. 13. N. R. 77.
 Set the timber 7th report at the ar arch on the true line from
 which, 7 Oak 4 in diam: here. S. 8 E. 21 limbs each: &c,
 Spruce 12 " " " N 66 W. 7 " "
 50.50 To the post co. of Sec. 28 29. 32 & 33. Dec. 19, 1835.

South
 29.00 On a Random line between Sec. 28 & 29. T. 13. N. R. 77 N. 55° 30'
 40.00 To a Creek 57 limbs mid, corner W
 79.73 Set a timber 7th report
 Enter cut the E & W line 13 limbs West of the post co. of Sec.

T. N. 13. N. R. N. 77 2nd. Mer. Sud.

28. 29. 32 & 33. Same same as last m.

South On the Rand line between Sec. 28 & 29. T. 13. N. R. 77. v. 6. 30.
 29.00 To a Creek. 50 links mid, corner N.
 40.00 Set a temp. 7/4 2nd post. (Duplicate)
 79.43 Enter at the E & W line 13 links West of the post on of
 Sec. 28 29. 32 & 33. Same same.

North On the line between Sec. 28 & 29. T. 13. N. R. 77.
 39.86 Set the temp. 7/4 2nd post at the ar ditch on the line from which
 a Beck. 15 in air: beam. 165 E. 14 links ditch: Pa.
 16. 10 " " " 95 W. 38 " "
 79.43 To the post on of Sec. 20. 21. 28 & 29.

West. Between Sec. 21. & 28. T. 13. N. R. 77. Dec. 20. 1845. v. 6.
 40.00 Set a 7/4 2nd post from which
 Elm. 10 in air: beam. N 27 E. 7 links ditch: Pa.
 Elm. 12 " " " 91 W. 20 " "
 64.00 To a Creek. 15 links mid, corner S. W.
 80.00 Set a post for the corner of Sec. 21. 21. 28 & 29 from which
 Beck. 12 in air: beam. N 39 W. 11 links ditch: Pa.
 16. 8 " " " 97 E. 28 " "
 Same hilly and 2nd rate.

North Between Sec. 20 & 21. T. 13. N. R. 77. Dec. 21. 1845 v. 6. 30.
 40.00 Set a 7/4 2nd post from which
 Elm. 12 in air: beam. West 1/2 links ditch: Pa.
 Sugar 30 " " " N 33 E. 3 " "
 80.00 Set a post for the corner of Sec. 20. 21. 16. & 17 from which
 Elm. 12 in air: beam. N 4 W. 18 links ditch: Pa.
 Beck 8 " " " N 24 W. 35 " "
 Good land and good for farming 2nd rate.

East On a Random line between Sec. 16. & 21. T. 13. N. R. 77 v. 6.
 40.00 Set a temp. 7/4 2nd post
 79.00 Enter at the N & S line 27 links North of the post on of

T. N. 13. N. R. No 777 2nd Mer. Ind.

Sw. 15.16.21 & 22

Land level under 2nd rate.

West On the new line Cut the South Branch of Sw. 16. Between Sw. 16. & 21. T. 13. N. R. 777.

39.50 Set the timber for support at the arch on the new line from which a Rock 8 in dia. trans. 29 N. 19 links each, Pa,
Sugar 8 " " " N 70 E. 20 " "

79.00 To the post on of Sw. 16. 17. 20 & 21.

North Return Sw. 16 & 17 T. 13. N. R. 777 v. 649' Dec. 22. 1865.

21.00 To a Brook 15 links mid, corner S. W.

40.00 Set a timber support from which a
Rock 10 in dia. trans. 55 E. 9 links each, Pa.
Oak 4 " " " S 10 W 15 " "

41.00 To a Brook 10 links mid, corner S. W.

80.00 Set a post for the cor of Sw. 8. 9. 16 & 17. From which a
Oak 10 in dia. trans. 68 E. 25 links each, Pa,
Rock 30 " " " N 80 W. 25 " "
Lands rolling and 2nd rate. Soil.

East On a Random line between Sw. 9 & 16. T. 13. N. R. 777. v. 60.

39.00 To a Brook 10 links mid, corner S. W.

40.00 Set a timber support.

58.00 To a Brook 10 links mid, corner N. W.

79.89 Set the post on the N & S line. 20 links North of the post on of Sw. 3. 4. 9 & 10.

Lands rolling under 2nd rate. Timber 43 Oak & 5.

West On the new line between Sw. 9 & 16. T. 13. N. R. 777

39.94 Set the timber for support at the arch on the new line from which a
Sugar 6 in dia. trans. 44 E. 19 links each, Pa,
Hornbeam 3 " " " N 52 E. 6 " "

79.89 To the post on of Sw. 8. 9. 16 & 17.

North Return Sw. 8 & 9 T. 13. N. R. 777 v. 650'

4.00	Loak Brook 15 links wide, course N.E.
40.00	Set a 74 support from which Brook 15 in diam. bears S 39 W. 9 links with, & a No. 8 " " " N 40 E. 26 " "
65.00	Loak Brook 50 links wide, course N.
80.00	Set a post for the cor of sw? 4, 5, 8 & 9 from which W Oak 30 in diam. bears N 17 W 39 links with, & a E elm. 12 " " " S 6 E. 37 " "
	Land rolling under good 2 nd rate farming land Timber Brook Sugar. Oak &c.
East	On a line between Sw 4 & 9 T. 13. N.R. 777.
27.00	Loak Brook 50 links wide, course S.W.
40.00	Set a support in support.
78.60	Intersect the N.E. line 85 links North of the post cor of sw? 34.9 & 10. Land 2 nd rate, Timber Brook, Sugar & Hickory Ash &c.
West	On the line between Sw 4 & 9 T. 13. N.R. 777.
39.60	Set the support post at the corner or the new line from which a Buckeye 10 in diam. bears S 33 E. 13 links with, & a Red Bud 4 " " " N 41 W 9 " "
North	Between Sw 4 & 5 T. 13. N.R. 777. r. to 50'
40.00	Set a support from which Brook 15 in diam. bears S 2 E. 35 links with, & a No. 5 " " " N 70 E. 15 " "
82.30	Intersect the North Boundary 100 links East of the post cor. of sw 3 & 3. T. 14. N.R. 777 and set a post for the cor of 4 & 5. from which Sugar 12 in diam. bears S 27 E. 24 links with, & a W Oak 18 " " " N 16 E. 29 " "
	Land good 2 nd rate Timber Sugar Brook & Oak &c.
South	On a line between Sw 31 & 32 T. 13. N.R. 777 r. to 30'
40.00	Set a support in support.

T. N. 13. N. R. N. 7 W. 2nd Mer. Ind.

78.28 Intersect the E & W line 6 links West of the post co of lot 31 & 32. Land 2nd rate.

North
39.14 On the line between Sec. 31 & 32 T. 13. N. R. 7 W.
Set the temporary 1/4 section post at the ar ditch on the line
from which Maple 10 in dist. bears N 16 W. 16 links dist
and a Back 8 " " S 19 W. 19 " "
78.28 To the post co of lot 29, 30, 31 & 32.

West
40.00 Return Sec. 29 & 32 T. 13. N. R. 7 W. N. 6 + 00
Set a 1/4 section post from which
Newby 10 in dist. bears N 1 E 12 links dist. & a
Back 8 " " S 39 W. 19 " "
80.00 Set a post for the co of lot 29, 30, 31 & 32 from which
Maple 15 in dist. bears N 59 E 28 links dist. & a
Do. 15 " " S 30 E 10 " "
Land level and 2nd rate.

West
19.50 Return Sec. 30 & 31 T. 13. N. R. 7 W. N. 5 + 00
To a Brook 10 links wide, corner S. W.
40.00 Set a 1/4 section post from which
Sugar 12 in dist. bears S 85 E 18 links dist. & a
Do. 10 " " N 73 W 23 " "
86.78 Intersect the West Boundary 16 links South of the post co.
Sec. 25 & 36 T. 13. N. R. 8 W. and set a post for the co of lot
30 & 31 from which
Back 6 in dist. bears S 16 E 17 links dist. & a
Do. 10 " " N 83 W 2 " "
Land level and 2nd rate.

South
25.00 On a Random line between Sec. 29 & 30 T. 13. N. R. 7 W. N. 6 + 00
To a creek 50 links wide, corner W
40.00 Set a temporary 1/4 section post.
79.92 Intersect the E & W line 90 links East of the post co of lot
29, 30, 31 & 32
Land 2nd rate 1st 1/2 mile hilly.

T. N. 13. N. R. N. 7 W. Q. and M. Sec.

North	On the line between Sec. 29 & 30 T. 13. N. R. 7 W.
39.96	Set the temp. 1/4 suppost at the ar ditch on the line from Whickas Elev. 10 in ar. trees N 47 W. 17 links ditch, Va. Engar. 12 " " " N 77 W. 20 "
79.90	To the post in of sec. 19, 20, 29, & 30.
West	Between Sec. 29 & 20 T. 13. N. R. 7 W. N. 6.00
10.00	To a Brook 10 links mid, corner S. W.
40.00	Set a 1/4 suppost from whickas N Oak. 12 in ar. trees N 69 E. 18 links ditch, Va. Engar. 3 " " " N 30 W. 20 " "
46.00	To a Brook 10 links mid, corner S. W.
80.00	Set a post for the cor of sec. 19, 20, 29 & 30 from whickas Beck. 8 in ar. trees N 77 W. 37 links ditch, Va. Engar. 10 " " " S 41 E. 9 " " Land very hilly; Timber Buck. & S.
West	Between Sec. 19 & 30 T. 13. N. R. 7 W. N. 5.00
40.00	Set a 1/4 suppost from whickas W Oak. 12 in ar. trees S 47 W. 7 links ditch, Va. Beck. 10 " " " N 69 W. 19 " "
87.90	Intro. Set the West Corner of 1/4 mile South of the post in of Sec. 24 & 25 T. 13. N. R. 8 W. made set a post for the cor of " 19, & 30 from whickas W Oak. 15 in ar. trees S 5 E. 2 links ditch, Va. Poplar. 18 " " " N 15 E. 10 " " Land 2nd. rate; Timber Buck, Ash, Oak, Elm & S.
South	On a Random line between Sec. 19 & 20 T. 13. N. R. 7 W. N. 6.30
30.00	To a Brook 10 links mid, corner W.
40.00	Set a temp. 1/4 suppost.
79.80	Intro. Set the E & W line 74 links West of the post in of sec. 19, 21, 29 & 30 Land 2nd. rate for farming last 1/2 mile rolling.
North	On the line between Sec. 19 & 20 T. 13. N. R. 6 W.

T. N. B. N. R. N. J. W. 2nd (Mr. Sud.)

39.90 Set the temp. 7th supert at the arch on the line from
Whitaker, 9th 8 in dist. from. N 76 W. 2 links dist; 7th,
9th 10 " " " N 81 E. 13, "

79.80 To the post on of Jul. 17. 18. 19 & 20.

West Return Jul. 17. 18. 19 & 20 T. N. B. N. R. J. W. 7th. 7th. 4th 00

40.00 Set a sup. supert from Whitaker
R. Oak. 26 in dist. from. N 83 E. 25 links dist; 7th,
9th 10 " " " N 87 W. 15 " "

80.00 Set a post for the cov of Jul. 17. 18. 19. 20 from Whitaker,
Whitaker 12 in dist. from. N 84 W. 2 links dist; 7th,
9th 10 " " " N 88 E. 26, "
Send same as last mile.

West Return Jul. 18 & 19 T. N. B. N. R. J. W.

28.00 To the post 10 links dist; corner J. W.

40.00 Set a sup. supert from Whitaker,
N Oak. 4 in dist. from. N 76 W. 3 links dist; 7th,
9th 18 " " " N 84 E. 44, "

87.30 Set the lat the N & S line 7/2 links South of the post on of Jul.
13 & 24 T. N. B. N. R. J. W. under set a post for the cov of "
18 & 19 from Whitaker,
Whitaker 12 in dist. from. N 76 E. 17 links dist; 7th,
9th 37 " " " N 46 W. 37, "
Send 2nd rate.

South Cap. Ran down line between Jul. 17 & 18 T. N. B. N. R. J. W. 7th. 4th 40

40.00 Set a temp. 7th supert

79.40 Set the lat the E & W line 60 links East of the post on of Jul.
17. 18. 19 & 20.

Send lat and 2nd rate.

North On the line between Jul. 17 & 18 T. N. B. N. R. J. W.

39.70 Set the temp. 7th supert at the arch on the line from
Whitaker, 4 in dist. from. N 76 W. 22 links dist; 7th,
9th 15 " " " N 29 W. 4 " "

T. N. B. N. R. N. 7th 2nd M. Ind.

79.40	Set a post on of sec 7. 8. 17. 18.
Met	Between Sec 8 & 17 T. 13. N. R. 7th. v. 6 th
2.00	Set a post 15 links mid, corner 9th.
32.00	" " corner 25 " " " N.
40.00	Set a post from which Beck. 12 in dist. from. N 89 E. 23 links dist. v. 6 th Ls. 4 " " " S 107 W. 3 " "
53.00	Set a post 10 links mid, corner 10.
80.00	Set a post for the corner of sec 7. 8. 17. 18 from which Beck. 12 in dist. from. S 50 E. 39 links dist. v. 6 th Sugar. 15 " " " N 64 W. 25 " " Lands 2nd rate.
Met	Between Sec 7 & 18 T. 13. N. R. 7th.
4.50	Set a post 5 links mid, corner 9th.
40.00	Set a post for the corner of sec 7 & 18 from which Elm 15 in dist. from. S 87 E. 19 links dist. v. 6 th Hackberry 4. " " " S 70 W. 12 " "
88.80	Enter the West Boundary 154 links South of the post corner of sec. 12 & 13. T. 13. N. R. 8th and set a post for the corner " " 7 & 18 from which Hogwood 8 in dist. from. N 5 E 4 links dist. v. 6 th fls. 4 " " " S 58 E. 14 " " Lands 2nd rate. first 7/8 mile hilly.
South	Quadrangle line between Sec. 7. & 8. T. 13. N. R. 7th. v. 6 th
40.00	Set a post for the corner
68.00	Set a post 50 links mid, corner 9th.
79.44	Enter the East & West line 22 links West of the post corner of sec. 7. 8. 17. 18. Lands rolling and good 2nd rate farming land. Enter Beck. Sugar & 5
North	Quadrangle line between Sec 7. & 8 T. 13. N. R. 7th
39.72	Set the post for the corner at the corner of the line.

T. No 13. N.R. No 77 2nd (Mn. Ind.)

from which Elm 6 in dia: beam. N47 E 7 units each
 made on Elm 5 " " N76 W 14 "
 79.44 To the post on of saw. 5. 6. 7. & 8.

West. Between Saw. 578. T. 13. N.R. 77. 2nd (Mn. V. 5th 00'
 40.00 Set a 1/2 sapost from which Dec. 28. 1815.
 Mulberry 10 in dia: beam. N5 E 7 units each; 7 ft
 Elm. 4 " " " N62 W 30 "
 80.00 Set a post for the ca of saw. 5. 6. 7 & 8. from which
 Sugar. 12 in dia: beam. N81 E 24 units each; 7 ft
 No. 6 " " N18 W 7 "
 Lumber rolling and goods 2nd rate. Timber Buck, Sugar, &

West Between Saw. 677. T. 13. N.R. 77.
 5.00 To a 12 foot 10 units mid, comes S.W.
 40.00 Set a 1/2 sapost from which
 Sugar 10 in dia: beam. N39 W 12 units each; 7 ft
 Oak 36 " " " N21 E. 29 "
 88.90 Enter at the West Boundary 213 units East of the post on
 Saw. 1. & 12 T. 13. N.R. 87 and set a post for the ca of saw
 677 from which
 Buck 30 in dia: beam. N30 W 12 units each; 7 ft
 Oak. 15 " " " N78 E. 18 "
 Lumber goods 2nd rate.

North Between Saw. 576. T. 13. N.R. 77. V. 6th 30'
 6.00 To a 12 foot 10 units mid, comes S.W.
 40.00 Set a 1/2 sapost from which
 Oak 6 in dia: beam. N21 W 17 units each; 7 ft
 Oak. 36 " " " N21 W 36 "
 81.93 Enter at the North Boundary 132 units East of the post on.
 of saw. 31 & 32 T. 14. N.R. 77 and set a post for the "
 " " 576 from which
 Sugar. 12 in dia: beam. N25 W 6 units each; 7 ft
 No. 12 " " " N78 E. 16 "
 Lumber rolling and goods 2nd rate. Timber Oak,

T. N. 13. N. R. N. 17 W. 2nd. Ill. Ind.

Book. Gen. Heats, Eng. &c.

Surveyed by

William Harris, D.S.

I certify that the foregoing manuscript of the file notes
of Township N. 13. North of Range N. 17 West. 2nd Ill.
Indiana, has been compared with the original
notes in this Office and found to be correct.

Surveyor General's Office,

Cincinnati, August 2. 1844

E. S. Haines
Sur. Genl.